KIDNEY INTERNATIONAL

Volume 60, December 2001

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

FROM THE EDITOR

Kidney International goes online. *Saulo Klahr* 1219

PERSPECTIVES IN RENAL MEDICINE

Infectious complications of the hemodialysis access. *George M. Nassar and Juan Carlos Ayus* 1

Pathophysiological mechanisms of vascular calcification in end-stage renal disease. *Matthew R. Davies and Keith A. Hruska* 472

An appraisal of antiretroviral drugs in hemodialysis. *Hassane Izzedine, Vincent Launay-Vacher, Alain Baumelou, and Gilbert Deray* 821

Difficulties in understanding human "acute tubular necrosis": Limited data and flawed animal models. *Seymour Rosen and Samuel N. Heyman* 1220

Pain management in polycystic kidney disease. *Zahid H. Bajwa, Sanjay Gupta, Carol A. Warfield, and Theodore I. Steinman* 1631

Coronary artery disease in uremia: Etiology, diagnosis, and therapy. *David J.A. Goldsmith and Adrian Covic* 2059

PERSPECTIVES IN BASIC SCIENCE

Peroxisome proliferator-activated receptors (PPARs): Novel therapeutic targets in renal disease. *YouFei Guan and Matthew D. Breyer* 14

Thrombotic microangiopathy, hemolytic uremic syndrome, and thrombotic thrombocytopenic purpura. *Piero Ruggenenti, Marina Noris, and Giuseppe Remuzzi* 831

Expression, roles, receptors, and regulation of osteopontin in the kidney. *Yuansheng Xie, Minoru Sakatsume, Shinichi Nishi, Ichiei Narita, Masaaki Arakawa, and Fumitake Gejyo* 1645

GENETIC DISORDERS – DEVELOPMENT

Nephron endowment in glial cell line-derived neurotrophic factor (GDNF) heterozygous mice. *Luise A. Cullen-McEwen, John Drago, and John F. Bertram* 31

Angiogenesis in autosomal-dominant polycystic kidney disease. *Elsa Bello-Reuss, Keith Holubec, and Srinivasan Rajaraman* 37

Genetic polymorphisms of the renin-angiotensin-aldosterone system in end-stage renal disease. *Emanuela Lovati, Alain Richard, Brigitte M. Frey, Felix J. Frey, and Paolo Ferrari* 46

COL4A4 mutation in thin basement membrane disease previously described in Alport syndrome. *Mark Buzza, Yan Yan Wang, Hayat Dagher, Jeffrey J. Babon, Richard G. Cotton, Harley Powell, John Dowling, and Judy Savige* (See Editorial by Monnens, p. 799) 480

Polycystin-1 transforms the cAMP growth-responsive phenotype of M-1 cells. *Michael Sutters, Tamio Yamaguchi, Robin L. Maser, Brenda S. Magenheimer, Patricia L. St. John, Dale R. Abrahamson, Jared J. Grantham, and James P. Calvet* 484

Further evidence for linkage of autosomal-dominant medullary cystic kidney disease on chromosome 1q21. *Mari Auranen, Sirpa Ala-Mello, Joni A. Turunen, and Irma Järvelä* 1225

Confirmation of a gene locus for medullary cystic kidney disease (*MCKD2*) on chromosome 16p12. *Nick Hateboer, Curtis Gumbs, M. Dawn Teare, Gerry A. Coles, David Griffiths, David Ravine, P. Andrew Futreal, and Nazneen Rahman* 1233

A novel inhibitor of tumor necrosis factor-α converting enzyme ameliorates polycystic kidney disease. *Katherine MacRae Dell, Raghad Nemo, William E. Sweeney, Jr., Jeremy I. Levin, Philip Frost, and Ellis D. Avner* 1240

Renal amyloidosis caused by a novel stop-codon mutation in the apolipoprotein A-II gene. *Masahide Yazaki, Juris J. Liepnieks, Taro Yamashita, Brian Guenther, Martha Skinner, and Merrill D. Benson* . . . 1658

Autosomal-dominant hypophosphatemic rickets (ADHR) mutations stabilize FGF-23. *Kenneth E. White, Gwenaelle Carn, Bettina Lorenz-Depiereux, Anna Benet-Pages, Tim M. Strom, and Michael J. Econs* . . . 2079

Increased renal expression of monocyte chemoattractant protein-1 and osteopontin in ADPKD in rats. *Benjamin D. Cowley, Jr., Sharon D. Ricardo, Shizuko Nagao, and Jonathan R. Diamond* 2087

HORMONES – CYTOKINES – SIGNALING

High glucose induces MCP-1 expression partly via tyrosine kinase–AP-1 pathway in peritoneal mesothelial cells. *Sang Koo Lee, Byung Sik Kim, Weon Suk Yang, Soon Bae Kim, Su Kil Park, and Jung Sik Park* 55

Apoptosis and JNK activation are differentially regulated by Fas expression level in renal tubular epithelial cells. *Shenaz Khan, Alexandra Koepke, George Jarad, Katie Schlessman, Ronald P. Cleveland, Bingcheng Wang, Martha Konieczkowski, and Jeffrey R. Schelling* 65

Phosphorylated osteopontin peptides suppress crystallization by inhibiting the growth of calcium oxalate crystals. *John R. Hoyer, John R. Asplin, and Laszlo Otvos, Jr.* 77

Angiotensin II infusion increases plasma erythropoietin levels via an angiotensin II type 1 receptor-dependent pathway. *Jan Gossmann, Ralf Burkhardt, Sebastian Harder, Tomas Lenz, Annette Sedlmeyer, Ute Klinkhardt, Helmut Geiger, and Ernst-Heinrich Scheuermann* 83

Activation of renal signaling pathways in *db/db* mice with type 2 diabetes. *Denis Feliers, Senthil Duraisamy, Jennifer L. Faulkner, John Duch, Adrian V. Lee, Hanna E. Abboud, Goutam Ghosh Choudhury, and Balakuntalam S. Kasinath* 495

A novel somatostatin analogue prevents early renal complications in the nonobese diabetic mouse. *Daniel Landau, Yael Segev, Michel Afargan, Aviva Silbergeld, Leonid Katchko, Andrey Podshyvalov, and Moshe Phillip* 505

Intraperitoneal atrial natriuretic peptide increases peritoneal fluid and solute removal. *Tao Wang, Huihong Cheng, Olof Heimbürger, Chi Chen, Jonas Bergström, and Bengt Lindholm* 513

Lipoprotein-X stimulates monocyte chemoattractant protein-1 expression in mesangial cells via nuclear factor-κB. *Edward G. Lynn, Yaw L. Siow, Jiri Frohlich, Giselle T.Y. Cheung, and Karmin O* 520

Transforming growth factor-β suppresses macrophage-induced mesangial cell fibronectin expression. *Izabella Z.A. Pawluczyk and Kevin P.G. Harris* 533

p38 MAPK and MAPK kinase 3/6 mRNA and activities are increased in early diabetic glomeruli. *Shin-Wook Kang, Sharon G. Adler, Janine LaPage, and Rama Natarajan* 543

Hyperosmolality activates Akt and regulates apoptosis in renal tubular cells. *Yoshio Terada, Seiji Inoshita, Satoko Hanada, Haruko Shimamura, Michio Kuwahara, Wataru Ogawa, Masato Kasuga, Sei Sasaki, and Fumiaki Marumo* 553

Influence of the renin-angiotensin system on epidermal growth factor expression in normal and cyclosporine-treated rat kidney. *Chul Woo Yang, Hee Jong Ahn, Wan Young Kim, Mi Jung Shin, Sung Kwon Kim, Joo Hyun Park, Young Ok Kim, Yong Soo Kim, Jin Kim, and Byung Kee Bang* 847

Chronic exposure of human mesangial cells to high glucose environments activates the p38 MAPK pathway. *William A. Wilmer, Cynthia L. Dixon, and Courtney Hebert* 858

Dipyridamole inhibits PDGF-stimulated human peritoneal mesothelial cell proliferation. *Kuan-Yu Hung, Chin-Tin Chen, Chung-Jen Yen, Po-Huang Lee, Tun-Jun Tsai, and Bor-Shen Hsieh.* 872

Abnormalities of Gq-mediated cell signaling in Bartter and Gitelman syndromes. *Lorenzo Calò, Giulio Ceolotto, Monia Milani, Elisa Pagnin, Lambertus P. van den Heuvel, Michelangelo Sartori, Paul A. Davis, Rodolfo Costa, and Andrea Semplicini* (see Editorial by Warnock, p. 1197) 882

Differential expression of adenylyl cyclases in the rat nephron. *Martin J. Bek, Shaopeng Zheng, Jing Xu, Ikuyo Yamaguchi, Laureano D. Asico, XiaoGuang Sun, and Pedro A. Jose* 890

Dipyridamole inhibits TGF-β–induced collagen gene expression in human peritoneal mesothelial cells. *Kuan-Yu Hung, Chin-Tin Chen, Jenq-Wen Huang, Po-Huang Lee, Tun-Jun Tsai, and Bor-Shen Hsieh* . . . 1249

Effects of C-peptide on glomerular and renal size and renal function in diabetic rats. *Björn Samnegård, Stefan H. Jacobson, Georg Jaremko, Bo-Lennart Johansson, and Mats Sjöquist* 1258

Role of aquaporin-2 gene expression in hyponatremic rats with chronic vasopressin-induced antidiuresis. *Takako Saito, Minori Higashiyama, Shoichiro Nagasaka, Sei Sasaki, Toshikazu Saito, and San-e Ishikawa* (see Editorial by Verbalis, p. 1608) 1266

Regulation of vitamin D-1α-hydroxylase in a human cortical collecting duct cell line. *Rosemary Bland, Daniel Zehnder, Susan V. Hughes, Pierre M. Ronco, Paul M. Stewart, and Martin Hewison* 1277

Heterogeneous expression of receptor mRNAs in parathyroid glands of secondary hyperparathyroidism. *Stiina Välimäki, Filip Farnebo, Lars Forsberg, Catharina Larsson, and Lars-Ove Farnebo* 1666

Role of neuronal nitric oxide synthase in the macula densa. *YiLin Ren, Jeffrey L. Garvin, Sadayoshi Ito, and Oscar A. Carretero* 1676

Inhibition of COX-2 counteracts the effects of diuretics in rats. *Martin C. Kammerl, Rolf M. Nüsing, Wolfgang Richthammer, Bernhard K. Krämer, and Armin Kurtz* 1684

Prostaglandin D_2 synthase induces apoptosis in pig kidney LLC-PK1 cells. *John K. Maesaka, Thomas Palaia, Linda Frese, Steven Fishbane, and Louis Ragolia* 1692

Effect of asymmetric dimethylarginine on osteoblastic differentiation. *Z. Sheng Xiao, L. Darryl Quarles, Q. Quan Chen, Y. Hui Yu, X. Ping Qu, C. Hong Jiang, H. Wu Deng, Y. Jian Li, and H. Hao Zhou* . . . 1699

Pressure-induced expression of monocyte chemoattractant protein-1 through activation of MAP kinase. *Takeshi Suda, Akihiko Osajima, Masahito Tamura, Hiroaki Kato, Masako Iwamoto, Takayuki Ota, Kaori Kanegae, Hiroshi Tanaka, Hirofumi Anai, Narutoshi Kabashima, Masahiro Okazaki, and Yasuhide Nakashima* 1705

Dysregulation of LDL receptor under the influence of inflammatory cytokines: A new pathway for foam cell formation. *Xiong Z. Ruan, Zac Varghese, Stephen H. Powis, and John F. Moorhead* (see Editorial by van Zonneveld and Rabelink, p. 2037) 1716

Role and regulation of activation of caspases in cisplatin-induced injury to renal tubular epithelial cells. *Gur P. Kaushal, Varsha Kaushal, Xiaoman Hong, and Sudhir V. Shah* 1726

Parathyroid hyperplasia in uremic rats precedes down-regulation of the calcium receptor. *Cynthia S. Ritter, Jane L. Finch, Eduardo A. Slatopolsky, and Alex J. Brown* 1737

Protein kinase CK2 mediates TGF-β1-stimulated type IV collagen gene transcription and its reversal by estradiol. *Miroslaw Zdunek, Sharon Silbiger, Jun Lei, and Joel Neugarten* (see Editorial by Schnaper, Poncelet, and Hayashida, p. 2415) 2097

$p21^{WAF1}$ and TGF-α mediate parathyroid growth arrest by vitamin D and high calcium. *Mario Cozzolino, Yan Lu, Jane Finch, Eduardo Slatopolsky, and Adriana S. Dusso* 2109

Interleukin-10 inhibits ischemic and cisplatin-induced acute renal injury. *Jiangping Deng, Yukimasa Kohda, Hsi Chiao, Yuqin Wang, Xuxhen Hu, Stephen M. Hewitt, Takehiko Miyaji, Paul McLeroy, Bobby Nibhanupudy, Shujun Li, and Robert A. Star* 2118

Identification of up-regulated Ras-like GTPase, Rap1b, by suppression subtractive hybridization. *Sun Lin, Sumant Chugh, Xiaomin Pan, Elisabeth I. Wallner, Jun Wada, and Yashpal S. Kanwar* 2129

Post-natal ontogeny of stanniocalcin gene expression in rodent kidney and regulation by dietary calcium and phosphate. *Harminder Deol, Sasha Elizabeth Stasko, Ping de Niu, Kathi Ann James, and Graham Forsyth Wagner* 2142

Angiotensin II signaling and HB-EGF shedding via metalloproteinase in glomerular mesangial cells. *Yoko Uchiyama-Tanaka, Hiroaki Matsubara, Yoshihisa Nozawa, Satoshi Murasawa, Yasukiyo Mori, Atsushi Kosaki, Katsuya Maruyama, Hiroya Masaki, Yasunobu Shibasaki, Soichiro Fujiyama, Atsuko Nose, Osamu Iba, Takamasa Hasagawa, Eriko Tateishi, Shigeki Higashiyama, and Toshiji Iwasaka* 2153

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Effects of $1,25(OH)_2D_3$ in experimental mesangial proliferative nephritis in rats. *Vincenzo Panichi, Massimiliano Migliori, Daniele Taccola, Cristina Filippi, Laura De Nisco, Luca Giovannini, Roberto Palla, Ciro Tetta, and Giovanni Camussi* 87

Connective tissue growth factor in tubulointerstitial injury of diabetic nephropathy. *Shinong Wang, Mark DeNichilo, Carrie Brubaker, and Raimund Hirschberg* 96

Podocyte injury underlies the progression of focal segmental glomerulosclerosis in the *fa/fa* Zucker rat. *Nikolaus Gassler, Marlies Elger, Bettina Kränzlin, Wilhelm Kriz, and Norbert Gretz, with the technical assistance of Brunhilde Hähnel, Hiltraud Hosser, and Inge Hartmann* 106

Adenovirus-mediated transfer of the 39 kD receptor-associated protein increases fibrinolytic capacity. *Martin F. Goedde, Jos M. Grimbergen, Karin H. Toet, Thomas Sitter, Paul H. Quax, and Teake Kooistra* 117

Expression of inter-α-trypsin inhibitor and tumor necrosis factor-stimulated gene 6 in renal proximal tubular epithelial cells. *Ulf Janssen, Gareth Thomas, Tibor Glant, and Aled Phillips* 126

Enhanced expression of complement C5a receptor mRNA in human diseased kidney assessed by in situ hybridization. *Katsushige Abe, Masanobu Miyazaki, Takehiko Koji, Akira Furusu, Tomomi Nakamura-Kurashige, Tomoya Nishino, Yoshiyuki Ozono, Takashi Harada, Hideto Sakai, and Shigeru Kohno* 137

Fibroblast growth factor receptors and their ligands in the adult rat kidney. *Belinda Cancilla, Ann Davies, Jennifer A. Cauchi, Gail P. Risbridger, and John F. Bertram* 147

Expression of multidrug resistance P-glycoprotein in kidney allografts from cyclosporine A-treated patients. *Michael J. Koziolek, Regine Riess, Helmut Geiger, Frank Thévenod, and Ingeborg A. Hauser* . . . 156

Role of stem cell factor and mast cells in the progression of chronic glomerulonephritides. *Ahmed F. El-Koraie, Nahed M. Baddour, Ahmed G. Adam, Essam H. El Kashef, and A. Meguid El Nahas* (See Editorial by Eddy, p. 375) 167

Morphogenesis of MDCK cells in a collagen gel matrix culture under stromal adipocyte-epithelial cell interaction. *Kanako Shimazu, Shuji Toda, Motoaki Miyazono, Takanobu Sakemi, and Hajime Sugihara* 568

Expression, regulation, and function of inhibitor of apoptosis family genes in rat mesangial cells. *Akira Furusu, Kenji Nakayama, Qihe Xu, Tsuneo Konta, Hitoshi Sugiyama, and Masanori Kitamura* 579

PAI-1 deficiency attenuates the fibrogenic response to ureteral obstruction. *Takashi Oda, Young Ok Jung, Heung Soo Kim, Xiaohe Cai, Jesús M. López-Guisa, Yukiko Ikeda, and Allison A. Eddy* 587

Renal fibroblast-like cells in Goodpasture syndrome rats. *Hirokazu Okada, Tsutomu Inoue, Yoshihiko Kanno, Tatsuya Kobayashi, Shinichi Ban, Raghurum Kalluri, and Hiromichi Suzuki* 597

Compensated heart failure predisposes to outer medullary tubular injury: Studies in rats. *Marina Goldfarb, Zaid Abassi, Seymour Rosen, Ahuva Shina, Mayer Brezis, and Samuel N. Heyman* 607

Tubules are the major site of M-CSF production in experimental kidney disease: Correlation with local macrophage proliferation. *Nicole M. Isbel, Prudence A. Hill, Rita Foti, Wei Mu, Lyn A. Hurst, Cosimo Stambe, Hui Y. Lan, Robert C. Atkins, and David J. Nikolic-Paterson* (See Editorial by Rovin, p. 797) . . . 614

Contents continued

Podocyte-specific expression of a novel *trans*-Golgi protein Vear in human kidney. *Anssi M. Poussu, Ismo Virtanen, Helena Autio-Harmainen, and Veli-Pekka Lehto* 626

Osteopontin expression in human cyclosporine toxicity. *Kelly L. Hudkins, Quoc C. Le, Stephan Segerer, Richard J. Johnson, Connie L. Davis, Cecilia M. Giachelli, and Charles E. Alpers* 635

Cloning of rodent megsin revealed its up-regulation in mesangioproliferative nephritis. *Masaomi Nangaku, Toshio Miyata, Daisuke Suzuki, Tomoya Umezono, Tsutomu Hashimoto, Takehiko Wada, Mikio Yagi, Nobuo Nagano, Reiko Inagi, and Kiyoshi Kurokawa* 641

Mycophenolate mofetil combined with a cyclooxygenase-2 inhibitor ameliorates murine lupus nephritis. *Carla Zoja, Ariela Benigni, Marina Noris, Daniela Corna, Federica Casiraghi, Marcella Pagnoncelli, Daniela Rottoli, Mauro Abbate, and Giuseppe Remuzzi* 653

Kidney protection against autoreactive $CD8^+$ T cells distinct from immunoprivilege and sequestration. *Christian Kurts, Ina Klebba, Gayle M. Davey, Karl M. Koch, Jacques F.A.P. Miller, William R. Heath, and Jürgen Floege* 664

Glomerular complement regulation is overwhelmed in passive Heymann nephritis. *Patrick N. Cunningham, Bradley K. Hack, Guohui Ren, Andrew W.M. Minto, B. Paul Morgan, and Richard J. Quigg* 900

Sequential analysis of kidney stone formation in the *Aprt* knockout mouse. *Andrew P. Evan, Sharon B. Bledsoe, Bret A. Connors, Li Deng, Li Liang, Changshun Shao, Naomi S. Fineberg, Marc D. Grynpas, Peter J. Stambrook, Shao Youzhi, Amrik Sahota, and Jay A. Tischfield* 910

Renal cell apoptosis in chronic obstructive uropathy: The roles of caspases. *Luan D. Truong, Yeong-Jin Choi, Chun Chui Tsao, Gustavo Ayala, David Sheikh-Hamad, George Nassar, and Wadi N. Suki* 924

Low-molecular-weight heparin prevents high glucose- and phorbol ester-induced TGF-β1 gene activation. *Cora Weigert, Katrin Brodbeck, Hans U. Häring, Giovanni Gambaro, and Erwin D. Schleicher* 935

P glycoprotein-mediated cholesterol cycling determines proximal tubular cell viability. *Richard A. Zager, with the technical assistance of Ali Johnson, Sherry Wright, and Vivian De La Rosa* 944

Podocyte depletion and glomerulosclerosis have a direct relationship in the PAN-treated rat. *Yeong Hoon Kim, Meera Goyal, David Kurnit, Bryan Wharram, Jocelyn Wiggins, Lawrence Holzman, David Kershaw, and Roger Wiggins* 957

Mesangial IgA1 in IgA nephropathy exhibits aberrant O-glycosylation: Observations in three patients. *Alice C. Allen, Elaine M. Bailey, Paul E.C. Brenchley, Katharine S. Buck, Jonathan Barratt, and John Feehally* 969

Effect of age and biopsy site on extracellular matrix mRNA and protein levels in human kidney biopsies. *Michael Eikmans, Hans J. Baelde, Emile de Heer, and Jan A. Bruijn* 974

Up-regulation of parathyroid hormone-related protein in folic acid-induced acute renal failure. *Soledad Santos, Ricardo J. Bosch, Arantxa Ortega, Raquel Largo, Teresa Fernández-Agulló, Rosa Gazapo, Jesús Egido, and Pedro Esbrit* 982

Hexamethylene bisacetamide protects peritoneal mesothelial cells from glucose. *Takahiko Ogawa, Tomonori Hayashi, Noriaki Yorioka, Seishi Kyoizumi, and James E. Trosko* 996

Coagulation process proceeds on cultured human mesangial cells via expression of factor V. *Takahiko Ono, Ning Liu, Kenji Kasuno, Hitoshi Kusano, Fumiaki Nogaki, Tadashi Kamata, Katsuo Suyama, Eri Muso, and Shigetake Sasayama* 1009

Intravenous immunoglobulin protects against experimental thrombotic microangiopathy. *J. Ashley Jefferson, Shin-ichi Suga, Yoon-Goo Kim, Jeffrey Pippin, Katherine L. Gordon, Richard J. Johnson, and William G. Couser* 1018

Effect of shigatoxin-1 on arachidonic acid release by human glomerular epithelial cells. *Douglas I. Schmid and Donald E. Kohan* (see Editorial by Kaplan, Meyers, and Leonard, p. 1199) 1026

Glomerular endothelial cells and podocytes jointly synthesize laminin-1 and -11 chains. *Patricia L. St. John and Dale R. Abrahamson* 1037

Acute cholestatic liver disease protects against glycerol-induced acute renal failure in the rat. *Nelson Leung, Anthony J. Croatt, Jill J. Haggard, Joseph P. Grande, and Karl A. Nath* 1046

Increased expression of heparanase in puromycin aminonucleoside nephrosis. *Vicki Levidiotis, John Kanellis, Frank L. Ierino, and David A. Power* 1287

Vascular endothelial growth factor ($VEGF_{121}$) protects rats from renal infarction in thrombotic microangiopathy. *Shin-ichi Suga, Yoon-Goo Kim, Alison Joly, Ela Puchacz, Duk-Hee Kang, J. Ashley Jefferson, Judith A. Abraham, Jeremy Hughes, Richard J. Johnson, and George F. Schreiner* 1297

Glomerulosclerosis and progression: Effect of subantihypertensive doses of α and β blockers. *Kerstin Amann, Andreas Koch, Jürgen Hofstetter, Marie-Luise Gross, Christian Haas, Stephan R. Orth, Heimo Ehmke, Lars Christian Rump, and Eberhard Ritz* 1309

Restricted γδ T-cell receptor repertoire in IgA nephropathy renal biopsies. *Huiling Wu, Anthony R. Clarkson, and John F. Knight* 1324

Aristolochic acid impedes endocytosis and induces DNA adducts in proximal tubule cells. *Catherine Lebeau, Volker M. Arlt, Heinz H. Schmeiser, Alain Boom, Pierre J. Verroust, Olivier Devuyst, and Renaud Beauwens* 1332

Nrf2-deficient female mice develop lupus-like autoimmune nephritis. *Keigyou Yoh, Ken Itoh, Akiko Enomoto, Aki Hirayama, Naoto Yamaguchi, Masaki Kobayashi, Naoki Morito, Akio Koyama, Masayuki Yamamoto, and Satoru Takahashi* (see Editorial by Byrd and Thomas, p. 1606) 1343

LF15-0195 prevents the induction and inhibits the progression of rat anti-GBM disease. *Gregory H. Tesch, Prudence A. Hill, Mu Wei, David J. Nikolic-Paterson, Patrick Dutartre, and Robert C. Atkins* 1354

Tubular NF-κB and AP-1 activation in human proteinuric renal disease. *Sergio A. Mezzano, Miguel Barría, M. Alejandra Droguett, M. Eugenia Burgos, Leopoldo G. Ardiles, Claudio Flores, and Jesús Egido* 1366

Ganglioside as an endogenous growth suppressor for glomerular mesangial cells. *Nobuo Tsuboi, Yasunori Utsunomiya, Tetsuya Kawamura, Takeshi Kawano, Tatsuo Hosoya, Tsuneya Ohno, and Hisashi Yamada* . 1378

Effects of anti-TGF-β type II receptor antibody on experimental glomerulonephritis. *Hirotake Kasuga, Yasuhiko Ito, Shinji Sakamoto, Hiroshi Kawachi, Fujio Shimizu, Yukio Yuzawa, and Seiichi Matsuo* . . . 1745

Bacitracin inhibits fibronectin matrix assembly by mesangial cells in high glucose. *Benjamin S. Weston, Nadia Abdel Wahab, Terry Roberts, and Roger M. Mason* 1756

Caspase-3 and apoptosis in experimental chronic renal scarring. *Bin Yang, A. Meguid El Nahas, Graham L. Thomas, John L. Haylor, Philip F. Watson, Bart Wagner, and Timothy S. Johnson* 1765

The Goodpasture antigen is expressed in the human thymus. *Dichelle Wong, Richard G. Phelps, and A. Neil Turner* 1777

Sialic acid-containing glycoproteins on renal cells determine nucleation of calcium oxalate dihydrate crystals. *John C. Lieske, F. Gary Toback, and Sergio Deganello* 1784

Positive effect of the induction of $p21^{WAFI/CIPI}$ on the course of ischemic acute renal failure. *Judit Megyesi, Lucia Andrade, Jose M. Vieira Jr., Robert L. Safirstein, and Peter M. Price* 2164

Interferon-γ is required for lupus nephritis in mice treated with the hydrocarbon oil pristane. *Hanno B. Richards, Minoru Satoh, J. Charles Jennette, Byron P. Croker, Hideo Yoshida, and Westley H. Reeves* 2173

Cellular overexpression of heme oxygenase-1 up-regulates p21 and confers resistance to apoptosis. *Paola Inguaggiato, Luis Gonzalez-Michaca, Anthony J. Croatt, Jill J. Haggard, Jawed Alam, and Karl A. Nath* . . 2181

Podocyte injuries exacerbate mesangial proliferative glomerulonephritis. *Yoshio Morioka, Hiroko Koike, Yohei Ikezumi, Yumi Ito, Akihisa Oyanagi, Fumitake Gejyo, Fujio Shimizu, and Hiroshi Kawachi* 2192

Small molecule selectin ligand inhibition improves outcome in ischemic acute renal failure. *Takashi Nemoto, Melissa J. Burne, Frank Daniels, Michael P. O'Donnell, John Crosson, Kurt Berens, Andrew Issekutz, Bertram L. Kasiske, William F. Keane, and Hamid Rabb* 2205

Tubular lesions and tubular cell adhesion molecules for the prognosis of lupus nephritis. *Laurent Daniel, Helene Sichez, Roch Giorgi, Bertrand Dussol, Dominique Figarella-Branger, Jean-François Pellissier, and Yvon Berland* 2215

Isotretinoin alleviates renal damage in rat chronic glomerulonephritis. *Matthias Schaier, Ingo Lehrke, Kerstin Schade, Christian Morath, Fujio Shimizu, Hiroshi Kawachi, Hermann-Josef Grone, Eberhard Ritz, and Jürgen Wagner* 2222

Podocyte expression of the CDK-inhibitor p57 during development and disease. *Keiju Hiromura, Leah A. Haseley, Pumin Zhang, Toshiaki Monkawa, Raghu Durvasula, Arndt T. Petermann, Charles E. Alpers, Peter Mundel, and Stuart J. Shankland* 2235

Polymorphonuclear neutrophils in Wegener's granulomatosis acquire characteristics of antigen presenting cells. *Christof Iking-Konert, Saskia Vogt, Markus Radsak, Christof Wagner, Gertrud Maria Hänsch, and Konrad Andrassy* 2247

Increased importin α protein expression in diabetic nephropathy. *Matthias Köhler, Igor B. Buchwalow, Gabriele Alexander, Marret Christiansen, Erdenechimeg Shagdarsuren, Vera Samoilova, Enno Hartmann, Eero M.A. Mervaala, and Hermann Haller* 2263

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Role of glucocorticoids in the maturation of the rat renal Na^+/H^+ antiporter (NHE3). *Neena Gupta, Sahar R. Tarif, Mouin Seikaly, and Michel Baum* 173

Limited urinary concentration and damaged tubules in rats with a syngeneic kidney graft. *Mari Michimata, Weihua Wang, Sayuri Fujita, Haruo Mizutani, Keisei Fujimori, Susumu Satomi, Masahiro Ohta, Sadayoshi Ito, Tokihisa Kimura, Tsutomu Araki, Yutaka Imai, and Mitsunobu Matsubara* 672

"Avian-type" renal medullary tubule organization causes immaturity of urine-concentrating ability in neonates. *Wen Liu, Tetsuji Morimoto, Yoshiaki Kondo, Kazuie Iinuma, Shinichi Uchida, and Masashi Imai* 680

Glycosphingolipids modulate renal phosphate transport in potassium deficiency. *Hubert K. Zajicek, Huamin Wang, Krishna Puttaparthi, Nabil Halaihel, Daniel Markovich, James Shayman, Richard Béliveau, Paul Wilson, Thomas Rogers, and Moshe Levi* 694

Role of kidney-specific organic anion transporters in the urinary excretion of methotrexate. *Ayako Takeuchi, Satohiro Masuda, Hideyuki Saito, Toshio Doi, and Ken-ichi Inui* 1058

P-glycoprotein inhibitors stimulate renal phosphate reabsorption in rats. *Dominique Prié, Sylviane Couette, Isabelle Fernandes, Caroline Silve, and Gérard Friedlander* 1069

Expression of rat thick limb Na/H exchangers in potassium depletion and chronic metabolic acidosis. *Kamel Laghmani, Christine Richer, Pascale Borensztein, Michel Paillard, and Marc Froissart* 1386

Preeclampsia and maladaptation to pregnancy: A role for atrial natriuretic peptide? *Marc Spaanderman, Timo Ekhart, Jim van Eyck, Peter de Leeuw, and Louis Peeters* 1397

Effects of enhanced oxygen release from hemoglobin by RSR13 in an acute renal failure model. *Thomas J. Burke, Deepak Malhotra, and Joseph I. Shapiro* 1407

Effect of potassium depletion on proximal tubule AT_1 receptor localization in normal and remnant rat kidney. *James N. Fryer, Kevin D. Burns, Masoud Ghorbani, and David Z. Levine* 1792

Effect of arginine vasopressin and ANP on intracellular pH and cytosolic free $[Ca^{2+}]$ regulation in MDCK cells. *Maria Oliveira-Souza and Margarida Mello-Aires* 1800

Evidence supporting a role for KCl cotransporter in the thick ascending limb of Henle's loop. *Antonio Di Stefano, Sylvie Jounier, and Monika Wittner* 1809

Coordinated down-regulation of NBC-1 and NHE-3 in sodium and bicarbonate loading. *Hassane Amlal, Qian Chen, Tracy Greeley, Ljiljana Pavelic, and Manoocher Soleimani* 1824

Expression of salt and urea transporters in rat kidney during cisplatin-induced polyuria. *Carolyn A. Ecelbarger, Jeff M. Sands, John J. Doran, William Cacini, and Bellamkonda K. Kishore* 2274

S3226, a novel NHE3 inhibitor, attenuates ischemia-induced acute renal failure in rats. *Max Hropot, Hans-Paul Juretschke, Karl Heinz Langer, and Jan-Robert Schwark* 2283

Polarized function of thick ascending limbs of Henle cells in osmoregulation. *R. Willi Grunewald, Mona Oppermann, Volker Schettler, G. Martin Fiedler, Peter M. Jehle, and Jan B. Schuettert* 2290

Renal cortical cholesterol accumulation is an integral component of the systemic stress response. *Richard A. Zager and Ali Johnson* 2299

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Vascular function of the peripheral circulation in patients with nephrosis. *Gerald F. Watts, Susan Herrmann, Gursharan K. Dogra, David A. Playford, James D. Best, Mark A.B. Thomas, and Ashley Irish* 182

Connexins 40 and 43 are differentially regulated within the kidneys of rats with renovascular hypertension. *Jacques-Antoine Haefliger, Stéphane Demotz, Olivier Braissant, Esther Suter, Bernard Waeber, Pascal Nicod, and Paolo Meda* 190

Diabetes-induced microvascular dysfunction in the hydronephrotic kidney: Role of nitric oxide. *An S. De Vriese, Maria S. Stoenoiu, Marlies Elger, Olivier Devuyst, Raymond Vanholder, Wilhelm Kriz, and Norbert H. Lameire* 202

Aldose reductase expression is induced by hyperglycemia in diabetic nephropathy. *Andrea D. Hodgkinson, Karen L. Søndergaard, Bingmei Yang, Debbie F. Cross, Beverley A. Millward, and Andrew G. Demaine* .. 211

Kidney-specific chromosome transfer in genetic hypertension: The Dahl hypothesis revisited. *Paul C. Churchill, Monique C. Churchill, Anil K. Bidani, and Theodore W. Kurtz* 705

Vasopeptidase inhibition attenuates the progression of renal injury in subtotal nephrectomized rats. *Zemin Cao, Louise M. Burrell, Ilkka Tikkanen, Fabrice Bonnet, Mark E. Cooper, and Richard E. Gilbert* 715

Hyperplastic vascular smooth muscle cells of the intrarenal arteries in angiotensin II type 1a receptor null mutant mice. *Sachiko Inokuchi, Kenjiro Kimura, Takeshi Sugaya, Koiti Inokuchi, Kazuo Murakami, and Tatsuo Sakai* 722

Impaired endothelial function in isolated human uremic resistance arteries. *Scott T.W. Morris, John J.V. McMurray, Angela Spiers, and Alan G. Jardine* 1077

Enhanced nitric oxide inactivation in aortic coarctation-induced hypertension. *Cyril H. Barton, Zhemin Ni, and Nosratola D. Vaziri* 1083

Albumin restores lysophosphatidylcholine-induced inhibition of vasodilation in rat aorta. *Thi Danh Vuong, Sjef de Kimpe, Remmert de Roos, Ton J. Rabelink, Hein A. Koomans, and Jaap A. Joles* 1088

Anti-B7-1 blocks mononuclear cell adherence in vasa recta after ischemia. *Kathleen E. De Greef, Dirk K. Ysebaert, Simonne Dauwe, Veerle Persy, Sven R. Vercauteren, Denise Mey, and Marc E. De Broe* ... 1415

Effect of angiotensin-converting enzyme inhibition on renal filtration surface area in hypertensive rats. *M. Jane Black, Todd A. Briscoe, Hannah J. Dunstan, John F. Bertram, and Colin I. Johnston* 1837

Inflammation, not hyperhomocysteinemia, is related to oxidative stress and hemostatic and endothelial dysfunction in uremia. *Diego Mezzano, Edgar O. Pais, Eduardo Aranda, Olga Panes, Patricio Downey, Mireya Ortiz, Rodrigo Tagle, Fernando González, Teresa Quiroga, M. Soledad Caceres, Federico Leighton, and Jaime Pereira* 1844

Angiotensin II enhances tubuloglomerular feedback via luminal AT_1 receptors on the macula densa. *Hong Wang, Jeffrey L. Garvin, and Oscar A. Carretero* 1851

Intrarenal angiotensin II: Interstitial and cellular levels and site of production. *Jorge P. van Kats, Maarten A.D.H. Schalekamp, Pieter D. Verdouw, Dirk J. Duncker, and A.H. Jan Danser* 2311

Acute administration of L-arginine does not improve arterial endothelial function in chronic renal failure. *Jenny M. Cross, Ann E. Donald, Rajesh Kharbanda, John E. Deanfield, Robin G. Woolfson, and Raymond J. MacAllister* 2318

Deficiency of COX-1 causes natriuresis and enhanced sensitivity to ACE inhibition. *Krairerk Athirakul, Hyung-Suk Kim, Laurent P. Audoly, Oliver Smithies, and Thomas M. Coffman* 2324

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Microalbuminuria in type 1 diabetes: Rates, risk factors and glycemic threshold. *Nish Chaturvedi, Simona Bandinelli, Ruggero Mangili, Guiseppe Penno, Raoul E. Rottiers, and John H. Fuller, on behalf of the EURODIAB Prospective Complications Study Group* 219

Long-term beneficial effect of ACE inhibition on diabetic nephropathy in normotensive type 1 diabetic patients. *Hans-Henrik Parving, Eva Hommel, Berit Ruud Jensen, and Henrik Post Hansen* 228

Effects of dietary protein restriction on fibrinogen and albumin metabolism in nephrotic patients. *Mauro Giordano, Pierpaolo De Feo, Paola Lucidi, Emanuela dePascale, Gelsomina Giordano, Domenico Cirillo, Giuseppe Dardo, Salvatore Santo Signorelli, and Pietro Castellino* 235

The natural history of renal disease in Australian Aborigines. Part 1. Changes in albuminuria and glomerular filtration rate over time. *Wendy E. Hoy, Zhiqiang Wang, Paul vanBuynder, Philip R.A. Baker, and John D. Mathews* 243

Natural history of renal disease in Australian Aborigines. Part 2. Albuminuria predicts natural death and renal failure. *Wendy E. Hoy, Zhiqiang Wang, Paul vanBuynder, Philip R.A. Baker, Stephen M. McDonald, and John D. Mathews* 249

Effect of chronic renal failure on bone turnover and bone alkaline phosphatase isoforms. *Per Magnusson, Christopher A. Sharp, Martin Magnusson, Juha Risteli, Michael W.J. Davie, and Lasse Larsson* 257

Lead chelation therapy and urate excretion in patients with chronic renal diseases and gout. *Ja-Liang Lin, Chun-Chen Yu, Dan-Tzu Lin-Tan, and Huei-Hong Ho* 266

Frequency of renal phosphate leak among patients with calcium nephrolithiasis. *Dominique Prié, Vincent Ravery, Laurent Boccon-Gibod, and Gérard Friedlander* 272

Remission and regression in the nephropathy of type 1 diabetes when blood pressure is controlled aggressively. *Peter Hovind, Peter Rossing, Lise Tarnow, Ulla M. Smidt, and Hans-Henrik Parving* (See Editorial by Steffes, p. 378) 277

ACE gene polymorphism and IgA nephropathy: An ethnically homogeneous study and a meta-analysis. *Francesco P. Schena, Christian D'Altri, Giuseppina Cerullo, Carlo Manno, and Loreto Gesualdo* 732

Novel erythropoiesis stimulating protein for treatment of anemia in chronic renal insufficiency. *Francesco Locatelli, Jesús Olivares, Rowan Walker, Martin Wilkie, Barbara Jenkins, Claire Dewey, and Stephen J. Gray, on behalf of the European/Australian NESP 980202 Study Group* 741

Level of hydration and renal function in healthy humans. *Pietro Anastasio, Massimo Cirillo, Lucia Spitali, Annamaria Frangiosa, Rosa Maria Pollastro, and Natale G. De Santo* 748

Biochemical profile of idiopathic uric acid nephrolithiasis. *Charles Y.C. Pak, Khashayar Sakhaee, Roy D. Peterson, John R. Poindexter, and William H. Frawley* 757

Reduction of oxaluria after an oral course of lactic acid bacteria at high concentration. *Claudio Campieri, Massimo Campieri, Veronica Bertuzzi, Erwin Swennen, Diego Matteuzzi, Sergio Stefoni, Franco Pirovano, Carla Centi, Salvatore Ulisse, Giuseppe Famularo, and Claudio De Simone* 1097

An MTHFR variant, homocysteine, and cardiovascular comorbidity in renal disease. *Elizabeth M. Wrone, James L. Zehnder, John M. Hornberger, Linda M. McCann, Norman S. Coplon, and Stephen P. Fortmann* 1106

The Marmara earthquake: Epidemiological analysis of the victims with nephrological problems. *Mehmet Şükrü Sever, Ekrem Erek, Raymond Vanholder, Emel Akoğlu, Mahmut Yavuz, Hülya Ergin, Mustafa Tekçe, Didem Korular, M. Yaşar Tülbek, Kenan Keven, Bruno van Vlem, and Norbert Lameire, for the Marmara Earthquake Study Group* 1114

Angiotensin-converting enzyme (ACE) I/D genotype and renal ACE gene expression. *Sonoo Mizuiri, Hiromichi Hemmi, Haruko Kumanomidou, Masateru Iwamoto, Moriatsu Miyagi, Ken Sakai, Atsushi Aikawa, Takehiro Ohara, Kanae Yamada, Hiroyuki Shimatake, and Akira Hasegawa* 1124

Proteinuria as a modifiable risk factor for the progression of non-diabetic renal disease. *Tazeen H. Jafar, Paul C. Stark, Christopher H. Schmid, Marcia Landa, Guiseppe Maschio, Carmelita Marcantoni, Paul E. de Jong, Dick de Zeeuw, Shahnaz Shahinfar, Piero Ruggenenti, Guiseppe Remuzzi, and Andrew S. Levey, for the AIPRD Study Group* 1131

A family-based study of metabolic phenotypes in calcium urolithiasis. *Josée Tessier, Martin Petrucci, Marie-Lucie Trouvé, Luc Valiquette, Gérald Guay, Denis Ouimet, and Alain Bonnardeaux* 1141

Dinucleotide repeat polymorphism of matrix metalloproteinase-9 gene is associated with diabetic nephropathy. *Shiro Maeda, Masakazu Haneda, Baoliang Guo, Daisuke Koya, Kazuyuki Hayashi, Toshiro Sugimoto, Keiji Isshiki, Hitoshi Yasuda, Atsunori Kashiwagi, and Ryuichi Kikkawa* 1428

Autoregulated glomerular filtration rate during candesartan treatment in hypertensive type 2 diabetic patients. *Per K. Christensen, Søren Lund, and Hans-Henrik Parving* 1435

Type of vascular access and mortality in U.S. hemodialysis patients. *Rajnish K. Dhingra, Eric W. Young, T.E. Hulbert-Shearon, Sean F. Leavey, and Friedrich K. Port* 1443

Correlates of acute renal failure in patients receiving parenteral amphotericin B. *David W. Bates, Ling Su, Donghui T. Yu, Glenn M. Chertow, Diane L. Seger, Daniel R.J. Gomes, and Richard Platt* 1452

Improved assessment of bone turnover by the PTH-(1-84)/large C-PTH fragments ratio in ESRD patients. *Marie-Claude Monier-Faugere, Zhaopo Geng, Hanna Mawad, Robert M. Friedler, Ping Gao, Tom L. Cantor, and Hartmut H. Malluche* 1460

Renal and neurohormonal responses to increasing levels of lower body negative pressure in men. *Grégoire Würzner, Arnaud Chiolero, Marc Maillard, Jürg Nussberger, Daniel Hayoz, Hans R. Brunner, and Michel Burnier* 1469

Outcome of living unrelated (commercial) renal transplantation. *Mehmet Şükrü Sever, Rümeyza Kazancıoğlu, Alaattin Yıldız, Aydin Türkmen, Tevfik Ecder, S. Mehmet Kayacan, Vedat Çelik, Sevgi Şahin, A. Emin Aydin, Uluğ Eldegez, and Ergin Ark* 1477

Proteinuria in obstructive sleep apnea. *Liam F. Casserly, Nelson Chow, Shaukat Ali, Daniel J. Gottlieb, Lawrence J. Epstein, and James S. Kaufman* 1484

Severity of renal vascular disease predicts mortality in patients undergoing coronary angiography. *Peter J. Conlon, Mark A. Little, Karen Pieper, and Daniel B. Mark* 1490

Comorbidity assessment using the Index of Coexistent Diseases in a multicenter clinical trial. *Dana C. Miskulin, Nicolaos V. Athienites, Guofen Yan, Alice A. Martin, Daniel B. Ornt, John W. Kusek, Klemens B. Meyer, and Andrew S. Levey, for the Hemodialysis (HEMO) Study Group* 1498

Vancomycin-resistant enterococci colonization in patients at seven hemodialysis centers. *Jerome I. Tokars, Todd Gehr, William R. Jarvis, John Anderson, Nancy Armistead, Elaine R. Miller, Joan Parrish, Sadaf Qaiyumi, Matthew Arduino, Stacey C. Holt, Fred C. Tenover, Glennis Westbrook, and Paul Light* 1511

Effect of renal center characteristics on mortality and technique failure on peritoneal dialysis. *Douglas E. Schaubel, Peter G. Blake, and Stanley S.A. Fenton* 1517

Increase in plasma esterified F_2-isoprostanes following intravenous iron infusion in patients on hemodialysis. *Abdulla K. Salahudeen, Bonnie Oliver, John D. Bower, and L. Jackson Roberts II* 1525

Cytoprotective role of heme oxygenase (HO)-1 in human kidney with various renal diseases. *Kayoko Morimoto, Kazuhide Ohta, Akihiro Yachie, Yonghong Yang, Masaki Shimizu, Chinami Goto, Tomoko Toma, Yoshihito Kasahara, Hitoshi Yokoyama, Toshio Miyata, Hidetoshi Seki, and Shoichi Koizumi* . . . 1858

Association between renal insufficiency and malnutrition in older adults: Results from the NHANES III. *Amit X. Garg, Peter G. Blake, William F. Clark, Catherine M. Clase, R. Brian Haynes, and Louise M. Moist* . . . 1867

Trends in anemia at initiation of dialysis in the United States. *Gregorio T. Obrador, Tricia Roberts, Wendy L. St. Peter, Eric Frazier, Brian J.G. Pereira, and Allan J. Collins* . . . 1875

Glomerular protein sieving and implications for renal failure in Fanconi syndrome. *Anthony G.W. Norden, Marta Lapsley, Philip J. Lee, Charles D. Pusey, Steven J. Scheinman, Frederick W.K. Tam, Rajesh V. Thakker, Robert J. Unwin, and Oliver Wrong* . . . 1885

Proteinuria and tubulointerstitial lesions in lupus nephritis. *Gary S. Hill, Michel Delahousse, Dominique Nochy, Chantal Mandet, and Jean Bariéty* . . . 1893

Urine excretion of protein HC in proteinuric glomerular diseases correlates to urine IgG but not to albuminuria. *Omran Bakoush, Anders Grubb, Bengt Rippe, and Jan Tencer* . . . 1904

Effects of angiotensin-converting enzyme inhibitors on the treatment of anemia with erythropoietin. *Kunihiko Hayashi, Kaname Hasegawa, and Shin Kobayashi* . . . 1910

Association between prevalent care process measures and facility-specific mortality rates. *Edmund G. Lowrie, Ming Teng, Eduardo Lacson, Nancy Lew, J. Michael Lazarus, and William F. Owen* . . . 1917

Glomerular mRNAs in human type 1 diabetes: Biochemical evidence for microalbuminuria as a manifestation of diabetic nephropathy. *Sharon G. Adler, Shin-Wook Kang, Stella Feld, Dae Ryong Cha, Lilly Barba, Liliane Striker, Gary Striker, Bruce L. Riser, Janine LaPage, and Cynthia C. Nast* . . . 2330

Assessing fluid change in hemodialysis: Whole body versus sum of segmental bioimpedance spectroscopy. *Thawee Chanchairujira and Ravindra L. Mehta* . . . 2337

DIALYSIS–TRANSPLANTATION

Noninvasive transcutaneous determination of access blood flow rate. *Robert R. Steuer, David R. Miller, Songbiao Zhang, David A. Bell, and John K. Leypoldt* . . . 284

Differential survival after coronary revascularization procedures among patients with renal insufficiency. *Lynda Anne Szczech, Donal N. Reddan, William F. Owen, Jr., Robert Califf, Michael Racz, Robert H. Jones, and Edward L. Hannan* . . . 292

Diagnostic value of iron indices in hemodialysis patients receiving epoetin. *James S. Kaufman, Domenic J. Reda, Carol L. Fye, David S. Goldfarb, William G. Henderson, Jack G. Kleinman, and Carlos A. Vaamonde, for the Department of Veterans Affairs Cooperative Study Group on Erythropoietin in Hemodialysis Patients* . . . 300

Post-transplant renal artery stenosis: The hemodynamic response to revascularization. *Piero Ruggenenti, Lidia Mosconi, Simona Bruno, Andrea Remuzzi, Fabio Sangalli, Maria Serena Lepre, Roberto Agazzi, Roberto Nani, Giorgio Fasolini, and Giuseppe Remuzzi* . . . 309

Influence of various hemodialysis membranes on the plasma (1→3)-β-D-glucan level. *Hiroko Kanda, Kanae Kubo, Ken Hamasaki, Yoshinobu Kanda, Akihide Nakao, Tadaichi Kitamura, Toshiro Fujita, Kazuhiko Yamamoto, and Toshihide Mimura* . . . 319

Risk factors and mortality associated with calciphylaxis in end-stage renal disease. *A. Rauf Mazhar, Richard J. Johnson, Daniel Gillen, John C. Stivelman, Michael J. Ryan, Connie L. Davis, and Catherine O. Stehman-Breen* . . . 324

Inflammation and dietary protein intake exert competing effects on serum albumin and creatinine in hemodialysis patients. *George A. Kaysen, Glenn M. Chertow, Rohini Adhikarla, Belinda Young, Claudio Ronco, and Nathan W. Levin* . . . 333

Multicenter trial of one HLA-DR–matched or mismatched blood transfusion prior to cadaveric renal transplantation. *Christian Hiesse, Marc Busson, Claude Buisson, Hossein Farahmand, Philippe Bierling, Marc Benbunan, Janine Bedrossian, Philippe Aubert, Denis Glotz, Chantal Loirat, Eric Rondeau, Béatrice Viron, Helène Bleux, and Philippe Lang, for the Groupe Coopératif de Transplantation d'Île de France* 341

Cardiac arrest and sudden death in dialysis units. *Jwala A. Karnik, Belinda S. Young, Nancy L. Lew, Maureen Herget, Catherine Dubinsky, J. Michael Lazarus, and Glenn M. Chertow* 350

Albumin is the major plasma protein target of oxidant stress in uremia. *Jonathan Himmelfarb and Ellen McMonagle* 358

Clinical performance characteristics of hemodialysis graft monitoring. *Grant McDougal and Rajiv Agarwal* 762

Effect of fluid and sodium removal on mortality in peritoneal dialysis patients. *Kenan Ateş, Gökhan Nergİzoğlu, Kenan Keven, Arzu Şen, Sim Kutlay, Şehsuvar Ertürk, Neval Duman, Oktay Karatan, and A. Ergün Ertuğ* 767

Sustained low-efficiency dialysis for critically ill patients requiring renal replacement therapy. *Mark R. Marshall, Thomas A. Golper, Mary J. Shaver, Muhammad G. Alam, and Dinesh K. Chatoth* 777

Endothelial cell protection against ischemia/reperfusion injury by lecithinized superoxide dismutase. *Dicken D.H. Koo, Kenneth I. Welsh, Nick E.J. West, Keith M. Channon, Anthony J. Penington, Justin A. Roake, Peter J. Morris, and Susan V. Fuggle* 786

Risk factors for post-transplant tuberculosis. *George Tharayil John, Viswanathan Shankar, Abi Mookanottle Abraham, Uma Mukundan, Paulose Punnakuzhathil Thomas, and Chakko Korula Jacob* 1148

A randomized clinical trial of continuous versus intermittent dialysis for acute renal failure. *Ravindra L. Mehta, Brian McDonald, Francis B. Gabbai, Madeleine Pahl, Maria T.A. Pascual, Arthur Farkas, and Robert M. Kaplan, for the Collaborative Group for Treatment of ARF in the ICU* 1154

Vascular access blood flow monitoring reduces access morbidity and costs. *Patricia McCarley, Rebecca L. Wingard, Yu Shyr, William Pettus, Raymond M. Hakim, and T. Alp Ikizler* 1164

Prolonged cold preservation augments vascular injury independent of renal transplant immunogenicity and function. *Duska Dragun, Uwe Hoff, Joon-Keun Park, Yan Qun, Wolfgang Schneider, Friedrich C. Luft, and Hermann Haller* 1173

Evidence for a PTH-independent humoral mechanism in post-transplant hypophosphatemia and phosphaturia. *Jacob Green, Hilla Debby, Eleanor Lederer, Moshe Levi, Hubert K. Zajicek, and Tova Bick* 1182

Comparison of transposed brachiobasilic fistulas to upper arm grafts and brachiocephalic fistulas. *Matthew J. Oliver, Richard L. McCann, Olafur S. Indridason, David W. Butterly, and Steve J. Schwab* 1532

Evaluation of renal Kt/V as a marker of renal function in predialysis patients. *Martin K. Kuhlmann, Martina Heckmann, Werner Riegel, and Hans Köhler* 1540

Late referral and modality choice in end-stage renal disease. *Wolfgang C. Winkelmayer, Robert J. Glynn, Raisa Levin, William Owen, Jr., and Jerry Avorn* 1547

Short daily hemodialysis rapidly improves nutritional status in hemodialysis patients. *Roula Galland, Jules Traeger, Walid Arkouche, Christine Cleaud, Ehsan Delawari, and Denis Fouque* 1555

Serum cystatin C-immunoglobulin high-molecular-weight complexes in kidney and liver transplant patients. *Jesús Hermida, Rafael Romero, and J. Carlos Tutor* 1561

The natural history of azathioprine compliance after renal transplantation. *Thomas E. Nevins, Linda Kruse, Melissa A. Skeans, and William Thomas* 1565

Filtration of native and glycated β_2-microglobulin by charged and neutral dialysis membranes. *Christine Randoux, Philippe Gillery, Nadine Georges, Sylvie Lavaud, and Jacques Chanard* 1571

Differential effects of growth hormone therapy in malnourished hemodialysis patients. *Harald Kotzmann, Nilgün Yilmaz, Piero Lercher, Michaela Riedl, Alice Schmidt, Ernst Schuster, Sören Kreuzer, Georg Geyer, Herwig Frisch, Walter H. Hörl, Gert Mayer, and Anton Luger* 1578

Determinants of physical performance in ambulatory patients on hemodialysis. *Kirsten L. Johansen, Glenn M. Chertow, Makani da Silva, Susan Carey, and Patricia Painter* 1586

Physiological aspects of pig-to-primate renal xenotransplantation. *Bob Soin, Kenneth G. Smith, Afzal Zaidi, Emanuele Cozzi, John R. Bradley, Daniel J. Ostlie, Andrew Lockhart, David J. White, and Peter J. Friend* 1592

Hemofiltration reduces the serum priming activity on neutrophil chemiluminescence in septic patients. *Filippo Mariano, Ciro Tetta, GianEnrico Guida, Giorgio Triolo, and Giovanni Camussi* 1598

Peritoneal dialysate fluid composition determines heat shock protein expression patterns in human mesothelial cells. *Klaus Arbeiter, Bettina Bidmon, Michaela Endemann, Thorsten Onno Bender, Oliver Eickelberg, Dagmar Ruffingshofer, Thomas Mueller, Heinz Regele, Kurt Herkner, and Christoph Aufricht* 1930

Early glomerular dysfunction in human renal allografts. *Carlos F. Zayas and Antonio Guasch* 1938

Kidney transplantation in patients with IgA mesangial glomerulonephritis. *Claudio Ponticelli, Lara Traversi, Annalisa Feliciani, Bruno M. Cesana, Giovanni Banfi, and Antonio Tarantino* (see Editorial by Hogg, p. 2033) 1948

Contribution of androgens to chronic allograft nephropathy is mediated by dihydrotestosterone. *Balazs Antus, Yousheng Yao, Shanying Liu, Erwei Song, Jens Lutz, and Uwe Heemann* 1955

Cardiovascular outcomes after kidney–pancreas and kidney–alone transplantation. *Ennio La Rocca, Paolo Fiorina, Valerio di Carlo, Ettore Astorri, Claudio Rossetti, Giovanni Lucignani, Ferruccio Fazio, Daniela Giudici, Marco Cristallo, Giuseppe Bianchi, Guido Pozza, and Antonio Secchi* (see Editorial by Langone and Helderman, p. 2035) 1964

Role of contact system activation in hemodialyzer-induced thrombogenicity. *Rolf Dario Frank, Jürgen Weber, Heike Dresbach, Herbert Thelen, Claudia Weiss, and Jürgen Floege* 1972

Prediction of hypertension in chronic hemodialysis patients. *Rajiv Agarwal and Rebecca R. Lewis* 1982

Effect of fluvastatin on acute renal allograft rejection: A randomized multicenter trial. *Hallvard Holdaas, Alan G. Jardine, David C. Wheeler, Inge B. Brekke, Peter J. Conlon, Bengt Fellstrøm, Abdel Hammad, Ingar Holme, Helena Isoniemi, Richard Moore, Peter A. Rowe, Paul Sweny, David A. Talbot, Jonas Wadstrøm, and Øyvind Østraat* 1990

International variation in the interpretation of renal transplant biopsies: Report of the CERTPAP Project. *Peter N. Furness and Nicholas Taub* 1998

Effect of preoperative sonographic mapping on vascular access outcomes in hemodialysis patients. *Michael Allon, Mark E. Lockhart, Regina Z. Lilly, Michael H. Gallichio, Carlton J. Young, Jill Barker, Mark H. Deierhoi, and Michelle L. Robbin* 2013

Inhibition of nitric oxide synthase reverses changes in peritoneal permeability in a rat model of acute peritonitis. *Marie-Laure Ferrier, Sophie Combet, Mieke van Landschoot, Maria S. Stoenoiu, Yvette Cnops, Norbert Lameire, and Olivier Devuyst* 2343

Glyoxalase I deficiency is associated with an unusual level of advanced glycation end products in a hemodialysis patient. *Toshio Miyata, Charles van Ypersele de Strihou, Toshiyuki Imasawa, Atsushi Yoshino, Yasuhiko Ueda, Hiroyuki Ogura, Katsuya Kominami, Hiroshi Onogi, Reiko Inagi, Masaomi Nangaku, and Kiyoshi Kurokawa* 2351

Levels of α1 acid glycoprotein and ceruloplasmin predict future albumin levels in hemodialysis patients. *George A. Kaysen, Joel A. Dubin, Hans G. Müller, William E. Mitch, Nathan W. Levin, and the HEMO Group* 2360

Effects of uremic serum on isolated cardiac myocyte calcium cycling and contractile function. *Sankaridrug M. Periyasamy, Jie Chen, Derek Cooney, Patricia Carter, Eiad Omran, Jiang Tian, Snigdha Priyadarshi, Alexei Bagrov, Olga Fedorova, Deepak Malhotra, Zijian Xie, and Joseph I. Shapiro* 2367

Clinical performance measures: The changing status of peritoneal dialysis. *Michael J. Flanigan, Michael V. Rocco, Barbara Prowant, Pamela R. Frederick, and Diane L. Frankenfield* 2377

The interleukin-10 promoter genotype determines clinical immune function in hemodialysis patients. *Matthias Girndt, Urban Sester, Martina Sester, Erik Deman, Christof Ulrich, Harald Kaul, and Hans Köhler* 2385

Acute effects of peritoneal dialysis solutions on appetite in non-uremic rats. *Zhi-Hua Zheng, Fredrik Sederholm, Björn Anderstam, Abdul Rashid Qureshi, Tao Wang, Per Södersten, Jonas Bergström, and Bengt Lindholm* 2392

Prognostic value of troponin T in hemodialysis patients is independent of comorbidity. *Patrick B. Deegan, Maureen E. Lafferty, Aubrey Blumsohn, Iain S. Henderson, and Ellon McGregor* 2399

A randomized trial of iron deficiency testing strategies in hemodialysis patients. *Steven Fishbane, Warren Shapiro, Paula Dutka, Osvaldo F. Valenzuela, and Jessy Faubert* (see Editorial by Besarab, p. 2412) . . . 2406

TECHNICAL NOTE

In vivo visualization of angiotensin II- and tubuloglomerular feedback-mediated renal vasoconstriction. *Tokunori Yamamoto, Koichi Hayashi, Hiroto Matsuda, Eiji Kubota, Hiroyoshi Tanaka, Yasuo Ogasawara, Hiroshi Nakamoto, Hiromichi Suzuki, Takao Saruta, and Fumihiko Kajiya* 364

Simplified citrate anticoagulation for continuous renal replacement therapy. *Ashita J. Tolwani, Ruth C. Campbell, Margaret B. Schenk, Michael Allon, and David G. Warnock* 370

A simple method to estimate the required dialysis time for cases of alcohol poisoning. *David J. Hirsch, Kailash K. Jindal, Petula Wong, and Albert D. Fraser* 2021

Colocalization of ANCA-antigens and fibrinoid necrosis in ANCA-associated vasculitis. *Ingeborg M. Bajema, E. Christiaan Hagen, Emile de Heer, Fokko J. van der Woude, and Jan A. Bruijn* 2025

COMMENTARY

In memorian: A commentary on R. Bernd Sterzel. *Dontscho Kerjaschki, Ulrich Kuntzendorf, Friedrich C. Luft, Johannes F.E. Mann, Heini Murer, Rolf Stahl, and Manfred Weber* 2031

EDITORIALS

Mast cells find their way to the kidney. *Allison A. Eddy* 375

Affecting the decline of renal function in diabetes mellitus. *Michael W. Steffes* 378

Beyond a glomerulocentric view of inflammation. *Brad H. Rovin* 797

Thin glomerular basement membrane disease. *Leo A.H. Monnens* 799

Nitric oxide and Bartter and Gitelman syndromes. *David G. Warnock* 1197

Glomerular epithelial cell arachidonate metabolism in Shiga toxin hemolytic uremic syndrome. *Bernard S. Kaplan, Kevin E.C. Meyers, and Mary B. Leonard* 1199

Nephritis promoted by oxidative injury. *Victor M. Byrd and James W. Thomas* 1606

Escape from antidiuresis: A good story. *Joseph G. Verbalis* 1608

Transplant IgA nephropathy: Déjà vu again? *Ronald Hogg* 2033

The effect of pancreas transplantation on cardiovascular mortality. *Anthony Langone and J. Harold Helderman* 2035

Mesangial cells defy LDL receptor paradigm. *Anton Jan van Zonneveld and Ton J. Rabelink* 2037

Evaluating iron sufficiency: A clearer view. *Anatole Besarab* 2412

Talking at cross purposes: Molecular interactions downstream from TGF-β. *H. William Schnaper, Anne-Christine Poncelet, and Tomoko Hayashida* 2415

LETTERS TO THE EDITOR

Bone remodeling effect of cyclosporine protects against steroid-induced osteopenia. *François P. Westeel, Hakim Mazouz, Roxane Oprisiu, and Albert Fournier* 380

Need for publication of all studies testing the SphygmoCor device. *Eldon D. Lehmann* 801

Elevated blood pressure predicts risk of acute rejection in renal allograft recipients. *Ettore Guidi* 801

Preventing dialysis hypotension: A comparison of usual protective maneuvers. *Jeroen P. Kooman, Karin Moret, Frank. M. van der Sande, Paul G.G. Gerlag, A. Warmold van den Wall Bake, and Karel M.L. Leunissen* 802

Depression in dialysis patients: Rubidium supplementation before other drugs and encouragement? *Caterina Canavese, Ester DeCostanzi, Lino Branciforte, Antonio Caropreso, Antonello Nonnato, and Enrico Sabbioni* 1201

Does choice of membrane or modality impact oxidant stress in hemodialysis therapy? *H. Feidhlim Woods* 1611

Familial cases of Berger's disease and anaphylactoid purpura. *Micheline Levy* 1611

Inhibition of renin secretion by angiotensin II receptor blockage? *Bernhard K. Krämer, Dierk Endemann, Michael Fischereder, and Konrad Wolf* 1612

Relationship between nonphenacetin combined analgesics and nephropathy. *William M. Bennett* 2039

Time to abandon the term "Chinese herbs nephropathy." *Han Y. Chen, Bo-Ying Ma, Alicia Grant, and Nick Lampert* 2039

NEPHROLOGY FORUM

Monogenic hypertension: Lessons from the genome. *Friedrich C. Luft* 381

Drug-induced acute interstitial nephritis. *Jérôme Rossert* 804

Apoptosis in post-streptococcal glomerulonephritis. *John Savill* 1203

ANCA-associated renal vasculitis. *Caroline O.S. Savage* 1614

Diabetic nephropathy: Prevention and treatment. *Hans-Henrik Parving* 2041

Treatment of severe hyponatremia. *Peter Gross* 2417

FOREFRONTS IN NEPHROLOGY

Introduction. *Sei Sasaki, Yoshihisa Kurachi, and Matsuhiko Hayashi* 395

Transcriptional regulation by changes in tonicity. *Joseph S. Handler and H. Moo Kwon* 408

Transcriptional regulation of the *NPT2* gene by dietary phosphate. *Ken-ichi Miyamoto and Mikiko Itho* 412

Isolation of a novel zinc finger repressor that regulates the kidney-specific CLC-K1 promoter. *Shinichi Uchida, Sei Sasaki, and Fumiaki Marumo* 416

Oligomerization of water and solute channels of the major intrinsic protein (MIP) family. *Laurence Duchesne, Stéphane Deschamps, Isabelle Pellerin, Valérie Lagree, Alexandrine Froger, Daniel Thomas, Patrick Bron, Christian Delamarche, and Jean-François Hubert* 422

Ion pump sorting in polarized renal epithelial cells. *Michael J. Caplan* 427

Molecular determinants for apical expression and regulatory membrane retrieval of the type IIa Na/Pi cotransporter. *Nati Hernando, Zoubida Karim-Jimenez, Jürg Biber, and Heini Murer* 431

Renal potassium channels: Function, regulation, and structure. *Gerhard Giebisch* 436

Role and identification of protein kinase A anchoring proteins in vasopressin-mediated aquaporin-2 translocation. *Enno Klussmann and Walter Rosenthal* 446

Acute regulation of NHE3 by protein kinase A requires a multiprotein signal complex. *Edward J. Weinman, Deborah Steplock, and Shirish Shenolikar* 450

Mechanisms of the inhibition of epithelial Na^+ channels by CFTR and purinergic stimulation. *Karl Kunzelmann, Rainer Schreiber, and Anissa Boucherot* 455

Phosphorylation of a new member of the bicarbonate cotransporter superfamily. *Matsuhiko Hayashi* . . 462

Liddle's syndrome: A novel mouse Nedd4 isoform regulates the activity of the epithelial Na^+ channel. *Elena Kamynina, Christophe Debonneville, Robert P. Hirt, and Olivier Staub* 466

INTERNATIONAL SOCIETY OF NEPHROLOGY

General Assembly Agenda 1215

Meetings 391, 818, 1215, 1628, 2056, 2428

Awards and Grants 392, 819, 1216, 1628, 2057, 2429

Erratum 2057, 2429

Books Received 393, 1629

CORPORATE SUPPORT OF THE INTERNATIONAL SOCIETY OF NEPHROLOGY 2430

ACKNOWLEDGMENT OF REVIEWERS 2431

AUTHOR INDEX 2436